



“49” Strand Trolling Cable

MISURA

30FT. 90 / 175Lb



COD	30FT.
013600	90LB
013601	175LB

Multistrand Wire Leader

MISURA

30FT. 20 / 175Lb



COD	30FT.
008223	20LB
013594	175LB

DOWNRIGGER WIRE CABLE

MISURA

200FT. 150Lb - 300FT. 150Lb

CAVO IN ACCIAIO PER AFFONDATORI



COD	150LB
000509	200FT
000510	300FT

DOWNRIGGER WIRE KIT

KIT ASSEMBLAGGIO PER CAVO AFFONDATORI



COD
001445

Down - Under

40-60-80lbs. /1000ft.



Soft Stainless Steel (Simil Monel)

COD	1000FT. (300MT)
000506	40LB
000507	60LB
000508	80LB

Monel Silver-Lus

45-60 lbs. /1000ft.



COD	1000FT.
007932	45LB
002370	60LB

DOWNRIGGER LINE ASSEMBLY

300ft.

CAVOPERAFFONDATORE
MONTATO E PRONTO

COD

004650



LEAD CORE O DACRON PIOMBATO

18-27-36-45lbs. /100yds.

COD	DESCRIZIONE
001564	18 LBS. 100YDSX2
001565	27 LBS. 100YDSX2
001566	36 LBS. 100YDS.X2
001567	45 LBS. 100YDSX2
001568	60 LBS. 100YDS.



LEAD CORE



REDICORE


300Ft.

LEAD CORE PRONTO PER LA PESCA,
COMPOSTO DA:

- 100 MT. (300 FT.) DI DACRON DA 20 LBS.
- 100 MT. (300 FT.) DI LEAD CORE DA 27 LBS.
- FINALE DA 17 MT. (50 FT.) DI BUON NYLON DA 20 LBS.

COD

002814



LEAD CORE

